Practically good enough to eat.

FOOD INDUSTRY AND CATERING

194 *Practically good enough to eat.*

198 *Meat containers*

199 *Diverse food containers*

200 *Stacking containers SGL*

205 *Stacking containers ECO*

206 *Stacking containers STANDARD*

207 *Space-saving containers*

208 *Special containers*

210 *Insulating boxes*

213 *Gastro-Norm trays*

214 *"Glas Manager"*

216 *Dividers for glasses, cups and plates*

Practically good enough to eat.

Hygienic and sustainable solutions

What to do with meat, fruit and vegetables and other foods? We have the solution! Sturdy reusable containers and pallets made of plastic, hygienic and versatile, suitable for all stages: from picking or production, through storage and transport to the sales presentation at the POS.

Mould and bacteria do not find any nourishment on our food-safe plastics. In addition, the containers can be cleaned quickly and thoroughly. Moreover, our plastic boxes are reusable containers, which means no rubbish piles of cardboard or wooden boxes.

This is environmental sustainability.

1

Crates

The robust, weatherproof crates for fruit and vegetables can be safely stacked.

2

Containers for alternate stacking

Empty containers use up valuable room, whether in the warehouse or on the lorry. Containers for alternate stacking solve this problem: empty, they can be nested into one another in a small space – so you save 80% volume.

3

Insulating boxes

Insulating boxes enable the storage and transport of fresh, chilled or frozen foods and enable – in conjunction with cooling elements – the cold chain to be maintained.

4

"Glas Manager"

These are provided as an insert in the RAKO container for safe transport and storage packaging for all types of drinking glasses. Thanks to a patented grid, they can be individually adapted to the height of the glass.

For washing glasses, the filled "Glas Manager" can be placed directly into the dishwasher.

5

E-Performance meat container

This new meat container replaces the red container used millions of times on the market.

Four inmould labels with container identification and GS1 code permit the container's unique identity. The light blue colour guarantees that only new material is used for the production of these containers.

6

Display container for the appetising presentation of goods

Bananas and other premium products can be presented at their best in this stacking container: easy to access, simple to clean, in a colour of your choice, individualised with your logo.

UPAL-D display pallet

A robust half pallet that thinks nothing of stresses and strains.

7

Gastro-Norm trays

In these plastic containers with lid, food can be immersed in a water bath and therefore heated and kept warm.

Meat containers 600 x 400 mm

Standard colour

pale blue

Height:

200 mm

Internal dim. base: 558 x 358 x 195 mm
Usable intern. height in stack: 181 mm
Stacking height: 186 mm
Volume: 39 litres
Weight: 2.0 kg +/- 1%

Article code	Base and sidewalls	Handles
38-6420-0	solid base, barcode areas on both long sides, structured areas on each side	4 handle slots
38-6420-2	solid base	4 handle slots
38-6420-3	solid SGL base (see page 196), 2 sealing holes on each long side	4 handle slots
38-6420-4	solid base, barcode areas on both long sides, structured areas on each side, integrated labelholder on both short sides	4 handle slots

Height:

220 mm

Internal dim. base: 558 x 358 x 217 mm
Usable internal height in stack: 201 mm
Stacking height: 206 mm
Volume: 40 litres
Weight: 2.1 kg

Article code	Base and sidewalls	Handles
3-301Z-199	solid base, sidewalls with slotted U-channel, adhesive label areas	2 handle slots

E Performance containers 600 x 400 mm

Height:

125 mm

Standard: E 1
Internal dim. base: 556 x 357 x 123 mm
Usable internal height in stack: 110 mm
Stacking height: 114 mm
Volume: 24 litres
Weight: 1.5 kg

Article code	Base and sidewalls	Handles
101-6413-1	solid	4 handle slots

Height:

200 mm

Standard: E 2
Internal dim. base: 556 x 357 x 198 mm
Usable internal height in stack: 186 mm
Stacking height: 189 mm
Volume: 39 litres
Weight: 2.0 kg

Article code	Base and sidewalls	Handles
101-6420-2	solid	4 handle slots

Height:

300 mm

Standard: E 3
Internal dim. base: 556 x 357 x 298 mm
Usable internal height in stack: 286 mm
Stacking height: 289 mm
Volume: 59 litres
Weight: 3.0 kg

Article code	Base and sidewalls	Handles
101-6430-1	solid	4 handle slots

Stock items (SKU), for all other items please request the minimum order quantities.

Bakery container

Standard colour

orange

External dimensions: 600 x 400 x 150 mm
Internal dim. base: 561 x 361 x 137 mm
Usable internal height in stack: 125 mm
Stacking height: 138 mm
Volume: 28 litres
Weight: 1.3 kg

Article code	Sidewalls	Base	Handles
3-859-1	slotted	grated	4 handle slots

Crate

Standard colour

turquoise

External dimensions: 600 x 400 x 325 mm
Internal dim. base: 550 x 350 x 300 mm
Usable internal height in stack: 284 mm
Stacking height: 309 mm
Volume: 60 litres
Weight: 2.4 kg

Article code	Sidewalls	Base	Handles
3-325-32S	slotted	slotted	4 handle slots

Fish container



External dimensions: 600 x 400 x 150 mm
Internal dim. base: 561 x 361 x 137 mm
Volume: 28 litres
Weight of container: 1.3 kg

Article code	Remark
	This set for transporting fresh fish consists of three elements: an E Performance container, a plastic insert and a lid.
101-6413-10	container
102-6404-10	lid
103-6405-10	insert

Poultry crate

External dimensions: 905 x 615 x 315 mm
Opening dimensions: on top: 260 x 300 mm
sidewall: 740 x 280 mm
Weight: 5.750 kg

9-488	without sidewall opening
9-1880	with sidewall opening

Stock items (SKU), for all other items please request the minimum order quantities.

Stacking containers SGL



The standard in the flow of goods

"SGL" stands for "Swiss Association for Logistics". It has been their stated aim for several decades to employ means and methods with which to optimally streamline the flow of goods. The SGL guidelines therefore serve the purpose, amongst other things, of standardising the multiple-use containers made of plastic and creating the conditions to ensure that the containers are interchangeable. These requirements are fulfilled by the SGL stacking containers of Utz.

For each load a matching base version

When containers are used on an automatic conveyor system, the base deflexion should be approximately zero. Therefore, on SGL stacking containers, a ribbed base is used. Thanks to the perforated base or the grated base, a high level of air circulation or optimal drainage is guaranteed. All SGL bases enable safe composite stacking of a 600 x 400 mm container over two containers with basic dimensions of 400 x 300 mm.



Base variants

1 *grated SGL base*

2 *perforated SGL base*

3 *solid SGL base*

4 *narrow ribbed base, segmented*

5 *narrow ribbed base*

6 *narrow ribbed grated base, segmented*

7 *ribbed solid SGL base*

8 *ribbed slotted SGL base*

Sidewalls

1 *solid*

2 *perforated*

3 *grated*

4 *shell handle*

5 *handle slot*

400 x 300 mm

Height:
145 mm

Internal dim. base:
358 x 258 x 129 mm
Stacking height: 133 mm
Usable internal height in stack: 117 mm
Volume: 12 litres
Weight: 1.000 kg
Type: A/N

600 x 400 mm

Height:
145 mm

Internal dim. base:
558 x 358 x 129 mm
Stacking height: 133 mm
Usable internal height in stack: 117 mm
Volume: 26 litres
Weight: 1.850 kg
Type: B/N



Height:
212 mm

Internal dim. base:
558 x 358 x 196 mm
Stacking height: 200 mm
Usable internal height in stack: 184 mm
Volume: 39 litres
Weight: 2.450 kg
Type: U (31-6420-5-01)

Height:
280 mm

Internal dim. base:
558 x 358 x 262 mm
Stacking height: 266 mm
Usable internal height in stack: 244 mm
Volume: 52 litres
Weight: 2.870 kg
Type: C/N

Article code	Sidewalls			Base								Handles	
	solid	perforated	grated	solid	slotted	perforated	narrow ribbed	segmented	SGL base	grated	ribbed SGL base	shell handles	handle slots
31-4313-0-01		•			•						•		2
31-6413-0-01		•			•						•		2
31-6420-5-01		•			•						•		4
32-6420-6-01		•		•							•		4
31-6426-0-01		•			•						•		4

Stacking containers SGL 2005 (bakery containers)

400 x 300 mm

Height:
145 mm

Internal dim. base:
358 x 258 x 129 mm
Stacking height: 133 mm
Usable internal height in stack: 117 mm
Volume: 12 litres
Weight: 0.900 kg
Type: K/N

600 x 400 mm



Height:
145 mm

Internal dim. base:
558 x 358 x 129 mm
Stacking height: 133 mm
Usable internal height in stack: 117 mm
Volume: 25 litres
Weight: 1.600 kg
Type: L/N

Height:
278 mm

Internal dim. base:
558 x 358 x 262 mm
Stacking height: 166 mm
Usable internal height in stack: 250 mm
Volume: 52 litres
Weight: 2.630 kg
Type: M/N

Article code	Sidewalls			Base								Handles	
	solid	perforated	grated	solid	slotted	perforated	narrow ribbed	segmented	SGL base	grated	ribbed SGL base	shell handles	handle slots
31-4313-8-01		•					•			•			2
31-6413-8-01		•					•	•		•			4
31-6426-8-01		•					•	•		•			4

Stacking containers SGL

400 x 300 mm

Height:
145 mm

Internal dim. base:
358 x 258 x 130 mm
Stacking height: 133 mm
Usable internal height in stack: 118 mm
Volume: 12 litres
Weight: 0.950 kg
Type: A (31-4313-2)
K (32-4313-5)

Height:
145 mm

Internal dim. base:
358 x 258 x 129 mm
Stacking height: 133 mm
Usable internal height in stack: 118 mm
Volume: 12 litres
Weight: 0.850 kg
Type: G

600 x 400 mm

Height:
145 mm

Internal dim. base:
558 x 358 x 130 mm
Stacking height: 133 mm
Usable internal height in stack: 118 mm
Volume: 26 litres
Weight: 1.860 kg
Type: L (32-6413-5)

Containers with reinforced base

External dimensions:
600 x 400 x 151 mm
Usable internal height in stack: 139 mm
Weight: 2.310 kg

Article code	Sidewalls			Base								Handles	
	solid	perforated	grated	solid	slotted	perforated	narrow ribbed	segmented	SGL base	grated	ribbed SGL base	shell handles	handle slots
31-4313-1	●			●					●			2	
31-4313-2		●				●			●			2	
32-4313-5			●						●[1]				2
32-4313-6			●		●						●		2
31-6413-1	●			●					●			2	
32-6413-5			●						●[1]			2	
32-6413-8	●						●					2	
32-6413-9	●						●	●				2	

[1] grated

Stacking containers SGL

600 x 400 mm

Height:

278 mm

Internal dim. base:
558 x 358 x 262 mm
Stacking height: 266 mm
Usable internal height in stack: 250 mm
Volume: 53 litres
Weight: 2.820 kg
Type: C (31-6426-7)

Containers with reinforced base

External dimensions:
600 x 400 x 285 mm
Usable internal height in stack: 240 mm
Weight: 3.390 kg

Article code	Sidewalls			Base								Handles	
	solid	perforated	grated	solid	slotted	perforated	narrow ribbed	segmented	SGL base	grated	ribbed SGL base	shell handles	handle slots
31-6426-1	●			●							●	2	
31-6426-5	●			●							●		4
31-6426-7		●				●					●		4
32-6426-8	●						●					2	
32-6426-15	●						●	●					2
32-6426-9	●						●	●				2	

Loose lid

Article code	To fit containers
31-4303-0	400 x 300 mm
31-6403-0	600 x 400 mm

Yoghurt crates SGL 2001

31-4110-10-01



31-4310-21-01

31-4113-10-01

Type H1

Type H2

Type H3

Article code	External dimensions	Stacking height	Compartments
31-4110-10-01	400 x 150 x 112 mm	100 mm	10
31-4310-21-01	400 x 300 x 112 mm	100 mm	20
31-4113-10-01	400 x 150 x 145 mm	133 mm	10

Stacking containers ECO

600 x 400 x 150 mm

Volume: 28 litres

Article code	Base	Internal dimensions	Weight
47-6415-3	slotted	560 x 362 x 138 mm	1.25 kg
47-6415-2	solid	560 x 362 x 147 mm	1.38 kg

600 x 400 x 175 mm

Volume: 33 litres

Article code	Base	Internal dimensions	Weight
47-6417-2	solid	560 x 362 x 172 mm	1.63 kg

600 x 400 x 235 mm

Volume: 45 litres

Article code	Base	Internal dimensions	Weight
47-6424-3	slotted	560 x 362 x 223 mm	1.83 kg
47-6424-2	solid	560 x 362 x 232 mm	1.87 kg

600 x 400 x 319 mm

Volume: 60 litres

Article code	Base	Internal dimensions	Weight
47-6432-2	solid	560 x 362 x 316 mm	2.31 kg

Clip on lid

Article code	Base	Internal dimensions	Weight
41-64			0.7 kg

Stacking containers STANDARD

	Article code	Internal dimensions	Volume	Weight
300 x 200 x 125 mm	8-631N	246 x 163 x 120 mm	5 litres	0.3 kg

400 x 300 x 125 mm	3-137	342 x 262 x 118 mm	10 litres	0.7 kg
Loose lid	3-163			

400 x 300 x 232 mm	3-138	341 x 261 x 225 mm	20 litres	1.2 kg
Loose lid	3-163			

400 x 300 x 339 mm	3-139	340 x 260 x 330 mm	30 litres	1.9 kg
Loose lid	3-163			

600 x 400 x 125 mm	3-134	543 x 363 x 115 mm	20 litres	1.3 kg
Loose lid	3-142			

600 x 400 x 232 mm	3-135	542 x 359 x 225 mm	40 litres	2.2 kg
Loose lid	3-142			

600 x 400 x 339 mm	3-136	542 x 361 x 330 mm	60 litres	3.1 kg
Loose lid	3-142			

Removable boxes to fit container 3-134	Article code	External dimensions	Version
	3-150	275 x 185 x 95 mm	
	3-150-1	275 x 185 x 95 mm	with guide rail for separation walls

Separation wall	26-3-180-73

Standard colour container light grey

Standard colour lid dark grey

Stock items (SKU), for all other items please request the minimum order quantities.

800 x 600 mm

External dimensions:
without casters:
842 x 600 x 500 mm
with casters:
842 x 600 x 610 mm
Internal dim.:
top: 740 x 500 mm
base: 710 x 480 mm
Stacking height: 480 mm
Nesting height: 245 mm
Usable internal height: 465 mm
Volume: 180 litres
Loading capacity with casters: up to 100 kg
Weight:
without casters: 7.0 kg
with casters: 9.0 kg

Article code	Version
8-301	container
80-301-0	container without push bar, with 4 steering casters Ø 75 mm, thereof 1 with brake
80-301-100	container with push bar and 4 steering casters Ø 75 mm, thereof 1 with brake

Article code	Version
36-801	container with 2 hinged half-lids on the long sides

Lid

Article code	Version
8-301-1	slip lid

Standard colour container light grey

Standard colour lid dark grey

Dolly
Loading capacity:
up to 300 kg

Article code	Version
80-172-4	metal galvanised, 4 steering casters Ø 125 mm, thereof 1 with brake

Containers for alternate stacking 600 x 400 mm

Internal dimensions:
top: 565 x 378 mm
base: 535 x 355 mm

Article code	Height	Volume	Weight
3-853-1	132 mm	23 litres	1.3 kg
3-861-1	150 mm	25 litres	1.4 kg
3-808-1	160 mm	27 litres	1.6 kg

Stock items (SKU), for all other items please request the minimum order quantities.

Special containers

Cylindrical containers

Standard colour

black

Containers

Article code	External diameter top	Height	Volume	Weight
7-046-1 R	440 mm	460 mm	50 litres	1.8 kg
7-047-1 R	490 mm	530 mm	75 litres	2.8 kg

Accessories

Article code	Version
7-046-2 R	lid for cylindrical container 7-046-1 R
7-047-2 R	lid for cylindrical container 7-047-1 R
80-173	Scissor dolly

Banana tray

External dimensions: 598 x 398 x 280 mm
Internal dimensions: 560 x 370 x 260 mm
Usable internal height in stack: 245 mm
Stacking height: 265 mm
Volume: 50 litres
Weight: 2.99 kg

Article code	Version
3-1000	stacking container, radiussed internal contour, double base

Maturation container

External dimensions: 1200 x 500 x 170 mm
Weight: 5.5 kg

Article code	Version
101-1251-1	for the maturing of cheeses

External dimensions: 800 x 600 x 180 mm
Weight: 4.3 kg

Article code	Version
9-2335	for the maturing of cheeses

Stock items (SKU), for all other items please request the minimum order quantities.

Pallet boxes

PALOXE

External dimensions:
1200 x 1000 mm

	Remark
see section "Pallet boxes"	• solid or slotted walls and base • light or heavy-duty design • various subframe types

Pallets

Hygiene pallets

External dimensions:
800 x 600 mm
1200 x 800 mm
1200 x 1000 mm

	Remark
see section "Pallets"	• fully enclosed, easy to clean • static load capacity of up to 6 tons • suitable for racks in a reinforced version

Dollies

External dimensions:
400 x 300 mm
600 x 400 mm
800 x 600 mm
1200 x 800 mm

	Remark
see section "Dollies"	• various designs • durable and robust

Insulating boxes

RAKO insulating box

External dimensions:
400 x 300 x 240 mm
Internal dim. base:
308 x 207 x 157 mm
Volume: 10 litres
Weight: 2.6 kg

Article code	Version
36-854	hinged lid

COOLBOX

External dimensions:
600 x 400 x 345 mm
Internal dim. base:
510 x 310 x 264 mm
Volume: 42 litres
Weight: 7.7 kg

Article code	Version
36-412	removable lid

Container with internal insulation →

Standard colour
dark blue

Freezing-Box

External dimensions:
600 x 400 x 365 mm
Internal dim. base:
510 x 310 x 300 mm
Volume: 48 litres
Weight: 7.5 kg

Lid with holder for cooling elements.

Article code	Version
36-407	removable lid
36-409	hinged lid

Standard colour
cobalt blue

Cooling elements

External dimensions:
480 x 280 x 28 mm
Weight 80-1137: 3.06 kg
Weight 80-1138: 3.22 kg

Article code	Temperature range	Freezing point	Colour of cap
80-1137	-5°C to +5°C	-3°C	green
80-1138	-25°C to -15°C	-21°C	yellow

Standard colour
white

Stock items (SKU), for all other items please request the minimum order quantities.

Metabox

External dimensions:
600 x 400 x 540 mm
Internal dim. top:
520 x 320 mm
Internal dim. base:
500 x 300 mm
Usable height: 430 mm
Volume: 70 litres
Weight: 12.0 kg

Article code	Base	Insulation
57-130	smooth	30-50 mm

External dimensions:
780 x 620 x 725 mm
Internal dim. top:
675 x 515 mm
Internal dim. base:
640 x 480 mm
Usable height: 620 mm
Volume: 200 litres
Weight: 25.0 kg

Article code	Base	Insulation
57-131	smooth	30-50 mm

External dimensions:
1200 x 800 x 870 mm
Internal dim. top:
1090 x 690 mm
Internal dim. base:
1050 x 650 mm
Usable height: 600 mm
Volume: 450 litres
Weight: 63.0 kg

Article code	Base	Insulation
57-134	9 feet	30-50 mm

Insulating boxes

POOLBOX with insulation insert

	Order No.	Internal dimensions	Version
Entire set			
External dimensions: 298 x 198 x 170 mm **Volume:** 2.7 litres **Weight:** 0.8 kg	39-2032-170-500	200 x 110 x 105 mm	insulation 25 mm container stackable
Insulation insert	89-6-0443	200 x 110 x 105 mm	insulation 25 mm

	Order No.	Internal dimensions	Version
Entire set			
External dimensions: 398 x 306 x 227 mm **Volume:** 7.5 litres **Weight:** 1.3 kg	39-1043-230-500	288 x 197 x 135 mm	insulation 30-50 mm container nestable without insulation insert
Insulation insert	89-6-0465	288 x 197 x 135 mm	insulation 30-50 mm

	Order No.	Internal dimensions	Version
Entire set			
External dimensions: 598 x 398 x 329 mm **Volume:** 15.5 litres **Weight:** 2.8 kg	39-1064N-329-500	363 x 224 x 185 mm	insulation 30-50 mm container nestable without insulation insert
Insulation insert	89-6-0003	363 x 224 x 185 mm	insulation 30-50 mm

Standard colour

pale blue

Stock items (SKU), for all other items please request the minimum order quantities.

Gastro-Norm trays

Article code	Version	External dimensions	Volume
Size 1/9			
7-419-100	tray	176 x 108 x 100 mm	0.90 litres
7-419-1	lid		
Size 1/6			
7-416-100	tray	176 x 162 x 100 mm	1.60 litres
7-416-150	tray	176 x 162 x 150 mm	2.25 litres
7-416-200	tray	176 x 162 x 200 mm	3.75 litres
7-416-1	lid		
Size 1/4			
7-414-100	tray	265 x 162 x 100 mm	2.50 litres
7-414-150	tray	265 x 162 x 150 mm	3.75 litres
7-414-1	lid		
Size 1/3			
7-413-65	tray	325 x 176 x 65 mm	2.00 litres
7-413-100	tray	325 x 176 x 100 mm	3.75 litres
7-413-150	tray	325 x 176 x 150 mm	5.50 litres
7-413-200	tray	325 x 176 x 200 mm	7.25 litres
7-413-1	lid		
Size 1/2			
7-412-65	tray	325 x 265 x 65 mm	3.70 litres
7-412-100	tray	325 x 265 x 100 mm	6.00 litres
7-412-150	tray	325 x 265 x 150 mm	9.25 litres
7-412-200	tray	325 x 265 x 200 mm	12.25 litres
7-412-1	lid		
Size 2/3			
7-423-100	tray	354 x 325 x 100 mm	8.75 litres
7-423-150	tray	354 x 325 x 150 mm	13.00 litres
7-423-200	tray	354 x 325 x 200 mm	17.25 litres
7-423-1	lid		
Size 1/1			
7-411-100	tray	530 x 325 x 100 mm	13.50 litres
7-411-150	tray	530 x 325 x 150 mm	20.50 litres
7-411-200	tray	530 x 325 x 200 mm	27.20 litres
7-411-1	lid		

Standard colour

Trays: white

Lids: transparent

Stock items (SKU), for all other items please request the minimum order quantities.

Standard colour

grey

	Article code	Height of glasses	Remark
External dimensions: 528 x 355 mm **Glass diameter:** < 67 mm **No. of glasses:** 33 **Max. height of tray:** 150 mm	80-6-001	80-130 mm	to fit RAKO 3-208Z-0
	80-6-002	131-180 mm	to fit RAKO 3-201Z-0
	80-6-003	181-230 mm	to fit RAKO 3-6426N-1
	80-6-004	231-280 mm	to fit RAKO 3-202Z-0
Bottom part **Height:** 72 mm **Stacking height:** 65 mm	80-6-000-41	53 mm	3-227-0 and 3-200Z-0
Upper part	80-6-000-01		

Standard colour

blue

	Article code	Height of glasses	Remark
External dimensions: 528 x 355 mm **Glass diameter:** 68-80 mm **No. of glasses:** 24 **Max. height of tray:** 200 mm	80-6-021	80-130 mm	to fit RAKO 3-208Z-0
	80-6-022	131-180 mm	to fit RAKO 3-201Z-0
	80-6-023	181-230 mm	to fit RAKO 3-6426N-1
	80-6-024	231-280 mm	to fit RAKO 3-202Z-0
Bottom part **Height:** 72 mm **Stacking height:** 65 mm	80-6-000-42	53 mm	3-227-0 and 3-200Z-0
Upper part	80-6-000-02		

Standard colour

green

	Article code	Height of glasses	Remark
External dimensions: 528 x 355 mm **Glass diameter:** 81-95 mm **No. of glasses:** 15 **Max. height of tray:** 250 mm	80-6-041	80-130 mm	to fit RAKO 3-208Z-0
	80-6-042	131-180 mm	to fit RAKO 3-201Z-0
	80-6-043	181-230 mm	to fit RAKO 3-6426N-1
	80-6-044	231-280 mm	to fit RAKO 3-202Z-0
Bottom part **Height:** 72 mm **Stacking height:** 65 mm	80-6-000-43	53 mm	3-227-0 and 3-200Z-0
Upper part	80-6-000-03		

Stock items (SKU), for all other items please request the minimum order quantities.



Standard colour

red

External dimensions: 528 x 355 mm
Glass diameter: 96-120 mm
No. of glasses: 11
Max. height of tray: 300 mm

Article code	Height of glasses	Remark
80-6-061	80-130 mm	to fit RAKO 3-208Z-0
80-6-062	131-180 mm	to fit RAKO 3-201Z-0
80-6-063	181-230 mm	to fit RAKO 3-6426N-1
80-6-064	231-280 mm	to fit RAKO 3-202Z-0

Bottom part
Height: 72 mm
Stacking height: 65 mm

Article code	Height of glasses	Remark
80-6-000-44	53 mm	3-227-0 and 3-200Z-0

Upper part

Article code
80-6-000-04

Standard colour

light ivory

Bottom part without dividers
Height: 72 mm
Stacking height: 65 mm

Article code	Height of glasses	Remark
80-6-000-40	53 mm	3-227-0 and 3-200Z-0

Accessories



Standard colour

light grey

Column for "Glas Manager"

set with 4 columns, suitable for all types of "Glas Manager"

Article code	Height of glasses	Remark
80-6-000-81.5000	80-130 mm	
80-6-000-82.5000	131-180 mm	
80-6-000-83.5000	181-230 mm	
80-6-000-84.5000	231-280 mm	



Labelling Clips for "Glas Manager"

set with 4 clips, suitable for all types of "Glas Manager"

Article code	Colour
80-6-000-91.3080	red
80-6-000-91.1140	light ivory
80-6-000-91.1110	yellow
80-6-000-91.5070	blue

Container for Chafing Dishes

Standard colour

Container: light grey

lid: dark grey

External dimensions: 800 x 400 x 325 mm
Internal dim. base: 758 x 358 x 308 mm
Usable internal height in stack: 304 mm
Stacking height: 309 mm
Volume: 83.6 litres
Weight: 4.5 kg

Article code	Sidewalls	Base	Handles
48-84004	solid	solid	2 shell handles

Hinged lid

Article code
48-84007

Stock items (SKU), for all other items please request the minimum order quantities.

Dividers for glasses, cups and plates

Mineral water glasses

Divider height:
125 mm
Compartment size:
64 x 64 mm
Glass height:
95 to 125 mm

White wine glasses

Divider height:
140 mm
Compartment size:
73 x 73 mm
Glass height:
110 to 140 mm

Red wine glasses

Divider height:
158 mm
Compartment size:
78 x 78 mm
Glass height:
125 to 158 mm

Champagne glasses

Divider height:
185 mm
Compartment size:
69 x 69 mm
Glass height:
150 to 180 mm

Tall beer glasses / red wine glasses

Divider height:
185 mm
Compartment size:
82 x 82 mm
Glass height:
155 to 185 mm

Coffee cups

Compartment size:
83 x 63 mm
Cup height:
approx. 70 mm

Compartment size:
100 x 83 mm
Cup height:
approx. 70 mm

Article code	No. of compartments	Remark
80-6110	40	to fit RAKO 3-208Z-0
80-6058	28	to fit RAKO 3-208Z-0
80-6268	28	to fit RAKO 3-201Z-0
80-6269	35	to fit RAKO 3-201Z-0
80-6109	24	to fit RAKO 3-201Z-0
80-6254	30	to fit RAKO 3-227D-0
80-6253	20	to fit RAKO 3-227D-0

Other compartment sizes on request.

Stock items (SKU), for all other items please request the minimum order quantities.

Standard colour

light grey

	Article code	No. of compartments	Remark
Plate size Ø 110-130 mm **No. of plates:** approx. 8x10 = 80	80-6252	8	to fit RAKO 3-200Z-0
Plate size Ø 140-160 mm **No. of plates:** approx. 6x10 = 60	80-6113	6	to fit RAKO 3-200Z-0
Plate size Ø 190-210 mm **No. of plates:** approx. 3x8 = 24	80-6104	3	to fit RAKO 3-200Z-0
Plate size Ø 240 mm **No. of plates:** approx. 2x12 = 24	80-6112	2	to fit RAKO 3-208Z-0
Plate size Ø 250-280 mm **No. of plates:** approx. 2x12 = 24	80-6102	2	to fit RAKO 3-208Z-0
Plate size Ø 300-320 mm **No. of plates:** approx. 1x10 = 10	80-6237	1	to fit RAKO 3-208Z-0

Further compartment sizes on request.

Stock items (SKU), for all other items please request the minimum order quantities.

Standard colour

light grey